



ED132 HIGH DEFLECTION SHOCK MOUNT



ED132-101-YY-ZZ




ED132-001-YY-ZZ



DIMENSIONS: mm
MASS: APPROX 1.5kg

NUMBERING SYSTEM


ED132-XXX-YY-ZZ



DEFLECTION CAPABILITY

VERTICAL (AXIAL) ± 15 mm
RADIAL ± 10 mm

TYPICAL PERFORMANCE (VERTICAL)



RATING (kg PER MOUNT = $\frac{\text{Mass of Unit}}{\text{Number of Mounts}}$)

PART NUMBER	LOAD PER MOUNT (Kg)	GRAPH
ED132 - XXX - YY - 40	20 - 100	V
ED132 - XXX - YY - 50	30 - 150	W
ED132 - XXX - YY - 60	60 - 300	X
ED132 - XXX - YY - 70	150 - 550	Y
ED132 - XXX - YY - 80	250 - 650	Z

MATERIALS

ELASTOMER - SPECIFIED BY PART NUMBER
METAL - ALUMINIUM BASE AND BOSS
STAINLESS STEEL CAPTIVITY STRAP
OTHERS ARE AVAILABLE



engineering dynamics

DESIGN > MANUFACTURE > BESPOKE > PROTOTYPE > STANDARD

Anti Vibration Mounts - Vibration Isolators - Shock Isolators
Vibration Testing - Vibration Fixtures - Rubber Mouldings



MANUFACTURED
IN THE UK

VIBRATION • SHOCK • ISOLATION • TESTING

Watt Close, East Portway, Andover, Hants SP10 3TG Tel +44(0)1264 350778 Fax +44(0)1264 334215
www.engdynamics.co.uk info@engdynamics.co.uk